Product sheet

[redacted] CCD-18Lu | 305248

[redacted]

Description	[redacted] CCD-18Lu [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] CCD-18Lu [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted], [redacted] CCD-18Lu [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Synonyms	CCD 18Lu, CCD-18 Lu

[redacted]

Age	2 [redacted] [redacted]-17 [redacted]
Gender	[redacted]
Ethnicity	[redacted]-[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted] [redacted]

Citation	CCD-18Lu ([redacted] [redacted] Cytion 305248)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2380

[redacted] [redacted]-[redacted]

CCD-18Lu | 305248

Culture Medium

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Subculturing	PBS T25, -3-5 ' PBS, 3 . (FBS) + 10% DMSO , C
Freeze medium	
Thawing and Culturing Cells	
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78°C

1.
2. -150°C
3. 37
4. 70%
5. 15 ' 8 '
6. -300 x g 3
7. -10 ' T2
8. -

[redacted]CCD-18Lu | 305248

Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]