Product sheet

[redacted] CHO-B7H3 | 305417

[redacted]

Description	[redacted] IL-6, [redacted] [redacted] [redacted] CHO-B7H3 [redacted] CHO ([redacted]) [redacted], [redacted] B7-H3 [redacted], [redacted] [redacted] B7-H3 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] B7H3 (CD276)
Applications	[redacted]; [redacted] ADCC/CDC; [redacted] α-B7H3; [redacted]; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	CHO-B7H3 ([redacted] Cytion 305417)
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8V5

CHO-B7H3 | 305417

GMO Status	GMO-S1: CHO B7-H3

-

Receptors expressed	B7H3 (CD276)

|

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L-, w: 15 mM HEPES, w: 0.5 mM , w 820400a) CHO Growth Medium A (-InSCREENeX; InSCREENeX INS-ME-1039)
Supplements	5% FBS. Geneticin (G418-Sulfat) 0.5 '/'
Dissociation Reagent	-EDTA
Doubling time	-14–16
Subculturing	-PBS CO2’ 2-3
Split ratio	1 5
Seeding density	2 5 x 10 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 24 (
Freeze medium	(FBS) + 10% DMSO , C

CHO-B7H3 | 305417

Thawing and Culturing Cells	1. [illegible] 2. [illegible] -150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] -300 x g [illegible] 3 [illegible] 7. [illegible] -10 [illegible] T2 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible] -78°C
Shipping Conditions	[illegible] -78°C
Storage Conditions	[illegible] -150 [illegible] 196 [illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]