Product sheet

HEK293-CTLA4 | 305423

Description

Description	HEK293-CTLA4 HEK293 -CTLA4 -4, T. CD28 B7 (CD80 -CD86) CTLA4 CTLA4
Organism	
Tissue	
Disease	/; HEK293)
Applications	; -CTLA4 (,);

Age

Age	
Gender	
Morphology	
Cell type	
Growth properties	,

Citation

Citation	HEK293-CTLA4 (Cytion 305423)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6G20

HEK293-CTLA4 | 305423

GMO Status	GMO-S1: HEK293 CTLA-4

-

Receptors expressed	CTLA4 (CD152)

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS, 1 mM , 10 mM HEPES, 1% NEAA. Geneticin (G418-Sulfat) 1
Dissociation Reagent	-EDTA
Doubling time	-24–36
Subculturing	: -PBS CO2’
Split ratio	1 5
Seeding density	2 4 x 10
Fluid renewal	2 3
Post-Thaw Recovery	, 1:2 1:3 T25 24
Freeze medium	, (FBS) + 10% DMSO ,

HEK293-CTLA4 | 305423

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]