Product sheet

[redacted] HEK293-CCR8 | 305426

[redacted]

Description	[redacted] HEK293-CCR8 [redacted] HEK293 [redacted], [redacted] CCR8 [redacted], [redacted] CDw198, [redacted] G (GPCR) [redacted] T [redacted] (Tregs). [redacted] CCR8 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] HEK293)
Applications	[redacted] GPCR; [redacted] CAR-T; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HEK293-CCR8 ([redacted] Cytion 305426)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6G18

HEK293-CCR8 | 305426

GMO Status	GMO-S1: HEK293 CCR8,

-

Receptors expressed	CCR8 (CHEMR1 CDw198)

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS, 1 mM , 10 mM HEPES, 1% NEAA. Geneticin (G418-Sulfat) 1
Dissociation Reagent	-EDTA
Doubling time	-24–36
Subculturing	: -PBS CO2’ 2-3
Split ratio	1 5
Seeding density	2 4 x 10
Fluid renewal	2 3
Post-Thaw Recovery	, 1:2 1:3 T25 24
Freeze medium	, (FBS) + 10% DMSO ,

HEK293-CCR8 | 305426

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% CO_2, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]