Product sheet

[illegible] AMO-1 | 305525

[illegible] [illegible]

Description	[illegible] [illegible] AMO-1 [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] AMO-1 [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] Notch3-p53, [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] AMO-1 [illegible] [illegible] [illegible] [illegible] T [illegible] γδ [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-[illegible] 1 (ICAM-1), [illegible] [illegible] [illegible] [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible] [illegible]
Synonyms	AMo1, AMO1

[illegible]

Age	64 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible] [illegible]
Growth properties	[illegible]

[illegible] [illegible]

Citation	AMO-1 ([illegible] [illegible] Cytion 305525)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1806

[illegible] [illegible]- [illegible]

AMO-1 | 305525

Mutational profile	: IGKV1-8-IGKJ1; : IGKV3-20-IGKJ2; : BCOR, p.Gln312del (c.932_934AGC[1]) (c.935_937delAGC), p.Ala146Thr (c.436G>A), ; : STAT3, p.Cys712Tyr (c.2135G>A), ; : TET2, p.Gln1699Ter (c

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	20% FBS
Subculturing	15 PBS (
Seeding density	3–5 × 10^5/
Fluid renewal	2 3
Freeze medium	FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. -150°C 3. 37 4. 70% 5. 15 8 6. -300 x g 3 7. -10 . T2 8.
Incubation Atmosphere	37°C, 5%$_{CO2}$,

[redacted]AMO-1 | 305525

Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]