Product sheet

MALME-3M | 305583

Description

Description	MALME-3M
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	Malme-3M, MALME 3M, Malme-3 M, MALME.3M, Malme3M, MALME3M, Malme-3 Monolayer

Cell line characteristics

Age	43
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Publication info

Citation	MALME-3M (Cytion 305583)
Biosafety level	1
NCBI_TaxID	9606

[redacted]MALME-3M | 305583

CellosaurusAccession	CVCL_1438

[redacted]

Antigen expression	HLA A2, Aw30, B13, B40(+/-), DRw7
Tumorigenic	[redacted]

[redacted]

Culture Medium	IMDM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 25 mM HEPES, w: 1.0 mM [redacted], w: 3.024 g/L NaHCO3 ([redacted] Cytio
Supplements	[redacted] 20% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25, [redacted] 3-5 [redacted] PBS, [redacted] 300xg [redacted] 3 [redacted]
Seeding density	3 x 10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] FBS) + 10% DMSO [redacted], [redacted] C

MALME-3M | 305583

Thawing and Culturing Cells

1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible]
6. [illegible]
7. [illegible]
8. [illegible]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]