Product sheet

[redacted] HCC4006 | 305785

[redacted]

Description	HCC4006 [redacted] (NSCLC) [redacted] [redacted] EGFR [redacted] [redacted] HCC4006 [redacted] NSCLC, [redacted] HCC4006 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	HCC-4006, [redacted] 4006

[redacted]

Age	>50 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HCC4006 ([redacted] Cytion 305785)
Biosafety level	1

HCC4006 | 305785

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1269

-

Mutational profile	: EGFR, , p.Leu747_Glu749del (c.2239_2247delTAAGAGAA), (ATCC=CRL-2871, TP53, , p.Tyr20 (DepMap=ACH-000066).

Culture Medium	RPMI 1640, w: 2.0 mM , , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	46
Fluid renewal	2 3
Freeze medium	, , , FBS) + 10% DMSO , , C

[redacted]HCC4006 | 305785

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]