Product sheet

A2780-GFP | 305676

[redacted]

Description	A2780-GFP [redacted] A2780 [redacted], [redacted] GFP [redacted] A2780-GFP [redacted]. [redacted] A2780-GFP [redacted] A2780 [redacted], [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted]; [redacted] GFP; [redacted] in vivo; [redacted] A2780 [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]- [redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	A2780-GFP ([redacted] Cytion 305676)
Biosafety level	1
NCBI_TaxID	9606

A2780-GFP | 305676

CellosaurusAccession	[illegible] ([illegible] [illegible] [illegible] A2780-GFP; [illegible] [illegible] A2780 CVCL_1099)
GMO Status	GMO-S1: [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] A2780 [illegible] [illegible] [illegible] GFP [illegible], [illegible] [illegible] [illegible] [illegible]

[illegible]- [illegible]

Antigen expression	GFP

[illegible]

Culture Medium	RPMI 1640, w: 2.0 mM [illegible] [illegible], w: 2.0 g/L NaHCO3 ([illegible] [illegible] [illegible] Cytion 820700a)
Supplements	[illegible] [illegible] 10% FBS
Dissociation Reagent	[illegible]
Split ratio	1 [illegible] 5
Seeding density	1 [illegible] 3×10^4 [illegible]/[illegible]" [illegible]
Fluid renewal	2 [illegible] 3 [illegible] [illegible]
Freeze medium	[illegible], [illegible] [illegible] [illegible] [illegible] [illegible] + 10% DMSO [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

Thawing and Culturing Cells	1. [illegible] 2. [illegible] -150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] -200 x g [illegible] 5 [illegible] 7. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible] -78°C
Storage Conditions	[illegible] -150 [illegible] 196 [illegible]

[illegible]