

OVCA8 OVCAR-8-Luc | 305697

Product Overview

Description	OVCA8 OVCAR-8-Luc is a cell line derived from a patient with ovarian cancer. It is a highly tumorigenic cell line that expresses high levels of luciferase activity. The cell line is derived from a patient with ovarian cancer and is highly tumorigenic. It is a highly tumorigenic cell line that expresses high levels of luciferase activity. The cell line is derived from a patient with ovarian cancer and is highly tumorigenic. It is a highly tumorigenic cell line that expresses high levels of luciferase activity.
Organism	Human
Tissue	Ovarian
Disease	Ovarian cancer
Metastatic site	Peritoneal cavity (intraperitoneal)
Applications	Cell-based assays, drug screening, tumorigenicity assays, in vivo imaging, and cell-based assays.
Synonyms	OVCA8, NIH:OVCA8, OVCA8, Ovarcar8, OVCA8.8, OVCA8, OVCA8-EGFP_LC3

Cell Characteristics

Age	64 years
Gender	Female
Ethnicity	White
Morphology	Epithelial
Cell type	Epithelial
Growth properties	Highly tumorigenic

Product Information

Citation	OVCA8 OVCAR-8-Luc (Cell Line) Cytion 305697
Biosafety level	1
NCBI_TaxID	9606

Product sheet

OXCAR-8-Luc | 305697

CellSaurusAccession CVCL_2169

GMO Status GMO-S1: **OXCAR-8-Luc** (Luc2, **OXCAR-8-Luc**) **OXCAR-8-Luc**, **OXCAR-8-Luc**

OXCAR-8-Luc

Protein expression **OXCAR-8-Luc**

Antigen expression Luc2 (**OXCAR-8-Luc**, **OXCAR-8-Luc**)

OXCAR-8-Luc

Culture Medium RPMI 1640, w: 2.0 mM **OXCAR-8-Luc**, w: 2.0 g/L NaHCO3 (**OXCAR-8-Luc** Cytion 820700a)

Supplements **OXCAR-8-Luc** 10% FBS

Dissociation Reagent **OXCAR-8-Luc**

Seeding density $1-3 \times 10^4$ **OXCAR-8-Luc**/mL

Fluid renewal 2 **OXCAR-8-Luc** **OXCAR-8-Luc**

Freeze medium **OXCAR-8-Luc**, **OXCAR-8-Luc** + 10% DMSO **OXCAR-8-Luc**

