Product sheet

[redacted] CHO-EPCAM | 305974

[redacted]

Description	[redacted] CHO-EPCAM [redacted] (CHO) [redacted] EpCAM, [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] EpCAM (CD326)
Applications	[redacted] ADCC/CDC; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	CHO-EPCAM ([redacted] Cytion: 305974)
Biosafety level	1
NCBI_TaxID	10029

CHO-EPCAM | 305974

CellosaurusAccession	CVCL_D2TL
GMO Status	GMO-S1: CHO EpCAM

-

Receptors expressed	EpCAM (CD326)

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L-, w: 15 mM HEPES, w: 0.5 mM , w 820400a) CHO Growth Medium A (-InSCREENeX; InSCREENeX INS-ME-1039)
Supplements	5% FBS. Geneticin (G418-Sulfat) 0.5 /
Dissociation Reagent	-EDTA
Doubling time	-14–16
Subculturing	-PBS CO2’ 2-3
Split ratio	1 5
Seeding density	2 5 x 10 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 24 (
Freeze medium	FBS) + 10% DMSO C

[redacted]CHO-EPCAM | 305974

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] [redacted]