Product sheet

[redacted] CHO-STEAP1 | 305983

[redacted]

Description	[redacted] [redacted] CHO-STEAP1 [redacted] (CHO) [redacted] [redacted] CHO-STEAP1 [redacted] STEAP1, [redacted] STEAP1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] STEAP1 [redacted]
Applications	[redacted]; [redacted] STEAP1; [redacted] ADC; [redacted]/[redacted]; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]/[redacted]

[redacted]

Citation	CHO-STEAP1 ([redacted] Cytion: 305983)
Biosafety level	1
NCBI_TaxID	10029

CHO-STEAP1 | 305983

CellosaurusAccession	CVCL_A8X2
GMO Status	GMO-S1: CHO STEAP1

-

Receptors expressed	STEAP1

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L-, w: 15 mM HEPES, w: 0.5 mM , w 820400a) CHO Growth Medium A (-InSCREENeX; InSCREENeX INS-ME-1039)
Supplements	5% FBS. Geneticin (G418-Sulfat) 0.5 '/'
Dissociation Reagent	-EDTA
Doubling time	-14–16
Subculturing	-PBS CO2’ 2-3
Split ratio	1 5
Seeding density	2 5 x 10 4 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 24 (
Freeze medium	(FBS) + 10% DMSO C

CHO-STEAP1 | 305983

Thawing and Culturing Cells	1. [illegible] 2. [illegible] -150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] -300 x g [illegible] 3 [illegible] 7. [illegible] -10 [illegible] T2 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible] -78°C
Storage Conditions	[illegible] -150 [illegible] 196 [illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]