Product sheet

KC | 300604

[redacted]

Description	KC (Kc167) [redacted] Drosophila melanogaster [redacted] [redacted] KC [redacted] RNAi [redacted]-CRISPR [redacted] (Wnt/W DRSC/TRiP), [redacted] KC [redacted]-[redacted] [redacted]-BSL-2 [redacted]
Organism	Drosophila melanogaster ([redacted])
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted] (Drosophila); [redacted] RNAi [redacted]; [redacted] CRISPR; [redacted] (Wnt/Wingless, Hedgel
Synonyms	KC, K C

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	KC ([redacted] Cytion 300604)
Biosafety level	2
NCBI_TaxID	7227

KC | 300604

CellosaurusAccession	CVCL_Z833
GMO Status	GMO-S2: (Drosophila) SV40

-

Virus susceptibility	SV40

Culture Medium	+ 2 ' + + 10% (FBS).
Supplements	2 ' -10% FBS
Dissociation Reagent	(;)
Doubling time	-24 48
Subculturing	-
Split ratio	1 3
Seeding density	5×10^5 1×10^6 / '
Fluid renewal	2-3
Freeze medium	, (FBS) + 10% DMSO , C

Thawing and Culturing Cells

1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible]
6. [illegible]
7. [illegible]
8. [illegible]

Incubation Atmosphere	25°C, [illegible] ([illegible] [illegible] -CO_2).
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]