Product sheet

[redacted]CCK-81 | 305757

[redacted]

Description	[redacted] CCK-81 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] CCK-81 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] Cancer Cell Line Encyclopedia (CCLE), [redacted] [redacted] [redacted] [redacted] [redacted] MAPK, [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted].
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] [redacted] [redacted]
Metastatic site	[redacted] [redacted]
Synonyms	CCK81

[redacted]

Age	62 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Growth properties	[redacted]

[redacted]

Citation	CCK-81 ([redacted] [redacted] [redacted] Cytion: 305757)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2873

[redacted]-[redacted]

CCK-81 | 305757

Mutational profile	: FBXW7, , p.Arg465Cys (c.1393C>T), (DepMap=ACH-000963).PIK3CA, , p.Cys420Arg (c 000963). TP53, , p.Pro278His (c.833C>A),

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS, 1% NEAA -1 ' PBS,
Dissociation Reagent	
Doubling time	45
Subculturing	-PBS . T25, -3-5 ' PBS, 3 .
Seeding density	1 3 x 10 /cm²
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO

CCK-81 | 305757

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% CO_2, [illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] [illegible]