Product sheet

[illegible] SF188 | 305870

[illegible]

Description	[illegible] SF188 [illegible] (GBM) [illegible]. [illegible] 14 [illegible] (SCE) [illegible] BCNU, [illegible] [illegible]-SF188 [illegible] 6 [illegible] 6 [illegible]
Organism	[illegible]
Tissue	[illegible], [illegible]
Disease	[illegible]
Synonyms	SF-188, SF 188

[illegible]

Age	8 [illegible]
Gender	[illegible]
Growth properties	[illegible]

[illegible]

Citation	SF188 ([illegible] Cytion 305870)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6948

[illegible]-[illegible]

Mutational profile	[illegible]: TP53, [illegible], p.Gly266Glu (c.797G>A), [illegible] (PubMed=9614553, PubMed=10416987).

[illegible]

SF188 | 305870

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Doubling time	26
Subculturing	-PBS T25, -3-5 ' PBS, 3 . T25
Seeding density	2 4 × 10 /
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. -150°C 3. 37 4. 70% 5. 15 ' 8 ' 6. -300 x g 3 7. -10 ' T2 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,

[redacted]SF188 | 305870

Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]