Product sheet

ETK-1 | 305529

[redacted]

Description	ETK-1 [redacted] (IHCCA) [redacted], [redacted] ETK-1 [redacted], [redacted] γ-[redacted] (GGT), [redacted] ETK-1 [redacted]. [redacted] α-DNA 5-[redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	ETK1

[redacted]

Age	61 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Growth properties	[redacted]

[redacted]

Citation	ETK-1 ([redacted] Cytion 305529)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1206

[redacted]

[redacted] ETK-1 | 305529

Mutational profile	[redacted]: p.Arg175His, [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	Accutase, 5 [redacted], 37°C
Subculturing	[redacted] PBS [redacted]. [redacted] T25, [redacted] 3-5 [redacted] PBS, [redacted] 3 [redacted]. [redacted], [redacted]
Seeding density	1 [redacted] 3 × 10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted].
Freeze medium	[redacted] + 10% DMSO [redacted].
Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted]. 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] -200 x g [redacted] 5 [redacted], [redacted]. 7. [redacted]

[redacted] ETK-1 | 305529

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted], [redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA