Product sheet

[redacted] UM-SCC-125 | 305724

[redacted]

Description	UM-SCC-125 [redacted] HNSCC [redacted] UM-SCC [redacted], [redacted]-[redacted] [redacted]-HNSCC, [redacted], [redacted] UM-SCC. [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Disease	[redacted] (HNSCC)
Applications	[redacted] HNSCC; [redacted]; [redacted]; [redacted] UM-SCC; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	UM-SCC-125 ([redacted] Cytion: 305724)
Biosafety level	1
NCBI_TaxID	9606

[redacted]-[redacted]

UM-SCC-125 | 305724

Culture Medium	DMEM, w: 4.5 g/L , w: 4 mM L-, w: 3.7 g/L NaHCO3, w: 1.0 mM (Cytion 820300a)
Supplements	10% FBS
Dissociation Reagent	Accutase, 10 , 37°C
Doubling time	-24 48
Subculturing	-PBS -Accutase, 8–10
Split ratio	1 5
Seeding density	1 3 × 10^{4}/
Fluid renewal	2-3
Freeze medium	+ 10% DMSO
Thawing and Culturing Cells	

1.
2. -150°C
3. 37
4. 70%
5. 15 '' 8 ''
6. -200 x g 5 ,
7.

UM-SCC-125 | 305724

Incubation Atmosphere	37°C, 5%$_{CO2}$,
Shipping Conditions	-78°C
Storage Conditions	-150 196