Product sheet

Hs 611. [redacted]T | 305915

[redacted]

Description	Hs 611.T [redacted] (cHL) [redacted], [redacted] 48. [redacted] Hs 611.T [redacted] HRS, [redacted] NF-κB, [redacted] JAK-STAT
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Applications	[redacted] NF-κB [redacted]-JAK-STAT; [redacted] CD30/CD15/CD25; [redacted]
Synonyms	Hs-611-T, Hs611T, HS611T

[redacted]

Age	48 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted] B
Growth properties	[redacted]

[redacted]

Citation	Hs 611.T ([redacted] Cytion 305915)
Biosafety level	1
NCBI_TaxID	9606

Hs 611. [redacted]T | 305915

CellosaurusAccession	CVCL_0823

[redacted]- [redacted]

[redacted]

Culture Medium	DMEM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 3.7 g/L NaHCO3, w: 1.0 mM [redacted] (Cytion 820300a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Doubling time	[redacted]-24 [redacted] 48 [redacted]
Subculturing	[redacted] $3–5 \times 10^5$ [redacted] (300×g, 5 [redacted]) [redacted]
Split ratio	1 [redacted] 3
Seeding density	2 [redacted] 4×10^5 [redacted]
Fluid renewal	[redacted] 2-3 [redacted]
Freeze medium	[redacted] + 10% DMSO [redacted]

Hs 611. [redacted]T | 305915

Thawing and Culturing Cells	1. [redacted] 2. [redacted]-150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted]-200 x g [redacted] 5 [redacted] 7. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted]-78°C
Storage Conditions	[redacted]-150 [redacted] 196 [redacted]

[redacted]