Product sheet

MA-891 | 305581

Description

Description	MA-891
Organism	
Tissue	
Disease	
Metastatic site	(;)
Applications	; ; ;
Synonyms	

Donor information

Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Publication

Citation	MA-891 (Cytion 305581)
Biosafety level	1
NCBI_TaxID	10090

MA-891 | 305581

[illegible]

[illegible]

Culture Medium	RPMI-1640 [illegible] 10% FBS; [illegible] [illegible]-[illegible] [illegible] [illegible] 1%
Supplements	[illegible] [illegible] [illegible] 10% FBS [illegible]-1% [illegible]-[illegible]
Dissociation Reagent	[illegible]
Doubling time	[illegible]-18 [illegible] 24 [illegible]
Subculturing	[illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible]-PBS [illegible] [illegible] [illegible], [illegible] [illegible]-Accutase, [illegible] [illegible] [illegible] 8–10 [illegible] [illegible]
Split ratio	1 [illegible] 5
Seeding density	1 [illegible] 3×10^4 [illegible]/[illegible]" [illegible]
Fluid renewal	[illegible] 2-3 [illegible]
Freeze medium	[illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] (FBS) + 10% DMSO [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] C

[redacted]MA-891 | 305581

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted]
4. [redacted]
5. [redacted]
6. [redacted]
7. [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]