Product sheet

UM-SCC-129 | 305727

[redacted]

Description	UM-SCC-129 [redacted] (HNSCC) [redacted] p-TP53 [redacted] UM-SCC-129 [redacted] HNSCC, [redacted] SCC, [redacted] STR [redacted] p-TP53 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] (HNSCC)
Metastatic site	[redacted]
Applications	[redacted] HNSCC; [redacted] EGFR; [redacted] TP53; [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	UM-SCC-129 ([redacted] Cytion 305727)
Biosafety level	1
NCBI_TaxID	9606

UM-SCC-129 | 305727

CellosaurusAccession	
GMO Status	HNSCC

-

Culture Medium	DMEM, w: 4.5 g/L , w: 4 mM L-, w: 3.7 g/L NaHCO3, w: 1.0 mM (Cytion 820300a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Doubling time	-24 48
Subculturing	-PBS -Accutase, 8–10
Split ratio	1 5
Seeding density	1 3 × 10^{4}/
Fluid renewal	2-3
Freeze medium	+ 10% DMSO

UM-SCC-129 | 305727

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]