Product sheet

[redacted]HK/FDC | 300204

[redacted]

Description	[redacted] (FDC) ([redacted] HK) [redacted] FDC [redacted] B, [redacted] T. [redacted] T [redacted], [redacted]-CD3, [redacted] HK [redacted] B [redacted] (GC), [redacted] B [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Disease	[redacted]
Applications	[redacted] B [redacted] B [redacted]
Synonyms	FDC/HK

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HK/FDC ([redacted] Cytion 300204)
Biosafety level	1
NCBI_TaxID	9606

HK/FDC | 300204

CellosaurusAccession	CVCL_IY38
GMO Status	

-

Surface antigens	CD14+, CD40+, ICAM-1+, VCAM-1+

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Doubling time	-24–36
Subculturing	-PBS T25, -3-5 ' PBS, 3 .
Split ratio	1 3
Seeding density	1 3 x 1 /
Fluid renewal	1 2
Post-Thaw Recovery	24
Freeze medium	(FBS) + 10% DMSO C

[redacted]HK/FDC | 300204

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]

HK/FDC | 300204

HLA

A*: '02:01:01, '25:01:01
B*: 14:02:01, 18:01:01
C*: 08:02:01, 12:03:01
DRB1*: '01:02:01, '15:01:01G
DQA1*: 01:01:02, 01:02:01
DQB1*: '05:01:01, '06:02:01
DPB1*: '02:01:02, '23:01:01
E: 01:01:01