Product sheet

[redacted] P3X63Ag8 | 305171

[redacted]

Description	[redacted] P3K27 ([redacted] MOPC-21 [redacted] BALB/c). [redacted] [redacted]-8-[redacted]
Organism	[redacted]
Tissue	[redacted] B, [redacted], [redacted]
Synonyms	P3x63Ag8, P3-x63-Ag8, P3/x63-Ag8, P3/x63 Ag8, P3/x63/Ag8, P3-x63Ag8, P3x63 Ag8, P3x63 Ag8, P3 x 63Ag8, P3 x 63 Ag8, x63-Ag8, x63-AG8, x63-Ag8, P3x63, x63, GM03571

[redacted]

Breed/Subspecies	BALB/c
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	P3x63Ag8 ([redacted] Cytion 305171)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_3411

[redacted]-[redacted]

Protein expression	[redacted], [redacted]
Antigen expression	H-2d

[redacted] P3X63Ag8 | 305171

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Doubling time	16 [redacted] 26 [redacted]
Subculturing	[redacted]
Split ratio	2×10^5 [redacted]
Seeding density	3 [redacted] 5×10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	

1. [redacted]
2. [redacted] -150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] -300 x g [redacted] 3 [redacted]
7. [redacted] -10 [redacted] T2
8. [redacted]

[redacted] P3X63Ag8 | 305171

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]