Product sheet

[illegible] HepG2 | 300198

[illegible]

Description	[illegible] HepG2, [illegible], [illegible], [illegible]. [illegible] HepG2 [illegible] [illegible] HepG2 [illegible]. [illegible] HepG2 [illegible], [illegible]. [illegible], [illegible] [illegible] HepG2, [illegible] Hep3B [illegible]-HepaRG, [illegible]. [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Applications	[illegible]. [illegible], [illegible] HepG2 [illegible], [illegible]- [illegible]
Synonyms	HEP-G2, Hep G2, HEP G2, Hep-G2, HEPG2

[illegible]

Age	15 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	HepG2 ([illegible] Cytion 300198)
Biosafety level	1
NCBI_TaxID	9606

HepG2 | 300198

CellosaurusAccession	CVCL_0027

-

Receptors expressed	, II (IGF II)
Protein expression	P53
Tumorigenic	
Products	, - (-), -1 (-1), -1 (
Karyotype	= 55 (= 50 60), 1

Culture Medium	Ham's F12, w: 1.0 mM , w: 1.0 mM , w: 1.1 g/L NaHCO3 (Cytion 820600a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	48
Subculturing	-PBS T25, -3-5 '' PBS, 3 .
Seeding density	2 3 x 10/''
Fluid renewal	2 3
Post-Thaw Recovery	2xT25. 48 72 .
Freeze medium	FBS) + 10% DMSO , C

[redacted] HepG2 | 300198

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted]
4. [redacted]
5. [redacted]
6. [redacted]
7. [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]

HepG2 | 300198

HLA	**A***: '02:01:01, '24:02:01 **B***: '35:14:01, '51:08:01 **C***: 04:01:01, 16:02:01 **DRB1***: 13:02:01, 16:02:01 **DQA1***: '01:02:01, '05:05:01 **DQB1***: 03:01, 06:04 **DPB1***: '02:01:02, '04:02:01 **E**: 01:01:01