Product sheet

[redacted]CaD2 | 400138

[redacted]

Description	[redacted] CaD2 [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] C3H. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted] [redacted]
Disease	[redacted]

[redacted]

Breed/Subspecies	DBA/2
Age	6 [redacted]
Gender	[redacted]
Morphology	[redacted] [redacted]
Growth properties	[redacted]

[redacted]

Citation	CaD2 ([redacted] [redacted] Cytion 400138)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5714

[redacted]

Viruses	[redacted] MAP [redacted]: [redacted], [redacted], [redacted], [redacted] K, [redacted], Reo 3, PVM, LCM, M.pulmonis, MVM, Theiler's GD VII, Toolan's H Adenovirus, B.piliformis.

[redacted]

CaD2 | 400138

Culture Medium	DMEM, w: 4.5 g/L , w: 4 mM L-, w: 3.7 g/L NaHCO3, w: 1.0 mM (Cytion 820300a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS . T25, -3-5 ' PBS, 3 . , , .
Seeding density	5 x 10^4 " -.
Fluid renewal	2 3
Post-Thaw Recovery	24 .
Freeze medium	, (FBS) + 10% DMSO , -150°C , , 37 , 70% .
Thawing and Culturing Cells	1. 2. 3. 4. 5. 15 ' 8 ' 6. -300 x g 3 7. -10 ' . T2 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .

[redacted]CaD2 | 400138

Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]