Product sheet

HPAF-II | 305088

[redacted]

Description	HPAF-II [redacted] [redacted] HPAF-II [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	HPAF II, HPAFII, HPAF-2, HPAF2, HPAF/CD18, CD18/HPAF, HPAF-II/CD18, CD-18, CD18, CD 18

[redacted]

Age	44 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HPAF-II ([redacted] Cytion 305088)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0313

HPAF-II | 305088

[illegible]

[illegible]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([illegible] Cytion 820100a)
Supplements	[illegible] 10% FBS [illegible]-1% NEAA
Dissociation Reagent	[illegible]
Doubling time	26 [illegible]
Subculturing	[illegible] T25, [illegible] [illegible]-3-5 [illegible]' [illegible] PBS, [illegible] 3 [illegible].
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] FBS) + 10% DMSO [illegible]
Thawing and Culturing Cells	1. [illegible] 2. [illegible]-150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible]' [illegible] 8 [illegible]' [illegible] 6. [illegible]-300 x g [illegible] 3 [illegible] 7. [illegible]-10 [illegible]' [illegible] 8. [illegible]-[illegible]

[redacted] HPAF-II | 305088

Incubation Atmosphere	37°C, 5%$_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]