Product sheet

[redacted] C2C12 | 400476

[redacted]

Description	[redacted] C2C12, [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] C3H, [redacted] [redacted] [redacted] [redacted] C2C12 [redacted] [redacted] cDNA [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] C2C12 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]

C2C12 | 400476

NCBI_TaxID	10090
CellosaurusAccession	CVCL_0188

-

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	24
Subculturing	-PBS PBS, 3 .
Seeding density	1 x 10^4 -4 .
Fluid renewal	3 5
Post-Thaw Recovery	24 .
Freeze medium	(FBS) + 10% DMSO , C

[redacted] C2C12 | 400476

Thawing and Culturing Cells

1. [redacted]
2. [redacted]
3. [redacted]
4. [redacted]
5. [redacted]
6. [redacted]
7. [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]