

XXXXX B-LCL-HROC06 | 302065

XXXXX XXXXX

Description	B-LCL-HROC06 XXXX XX XXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXX XXXXXXXX XX XXXX XXXXX XXXXXXXX-XX (EBV) XXXXXXXX XXXXX B XXXXXXXXXXXXXXX XXXXXXXX B XXXXXXXXXXXXXXX XX XXXXXXXXXXXXXXX XXXXXXXX XXXXXXXX, XXXXXXXX XXXXXXXX XXXXXXX XXXX XXXXXXXX.
	XXXXXXXX XXXXXXXXXXXXXXXXXXXX, B-LCL-HROC06 XXXXX XXXXXXXX XX XXXX B XXXXXXXX XXXXXXXX, XXXXXXXX XXXXXXXX XX CD19 & CD20, XXXX XX XXXXXXXX XXXXXXXX, B-LCL-HROC06 XXXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXX XXXXXXXX XXXXXXX (XXXXX, IgG, IgM & IgA), XXXX XXXXXXX XXXXXXX XXXXXXX XXXXXXX XXXXXXX.
Organism	XXXX
Tissue	XX XXXXXXX
Disease	XXXXXXXXXXXX
Synonyms	Bc HROC06

XXXXXXXXXXXXX

Age	XXXX XX XXXXX
Gender	XXXXX
Ethnicity	XXXXXXXX
Morphology	XXXXX XXXXXXX
Cell type	XXXXXXXXXXXX B
Growth properties	XXXXXX

XXXXXXXXXX XXXXXXXXXXXXXXXX

Citation	B-LCL-HROC06 (XXXXX XXXXXXXX Cytion 302065)
Biosafety level	2
NCBI_TaxID	9606

XXXX B-LCL-HROC06 | 302065

CellosaurusAccession CVCL_B7FD

XXXXXXXXXX XIX- XXXXXXXXXXXXXXXX

Surface antigens CD19

Viruses XXXXXXXXXX: EBV

XXXXXXXXXX

Culture RPMI 1640, w: 2.0 mM β -mercaptoethanol, w: 2.0 g/L NaHCO₃ (Sigma), 10% Cytion 820700a)

Supplements 10% FBS

Subculturing

Freeze medium DMEM supplemented with 10% FBS + 10% DMSO (100% FBS) + 10% DMSO (100% FBS), 10% DMSO (100% FBS)

Thawing and Culturing Cells

- [illegible]

Incubation Atmosphere 37°C, 5% CO₂,

XXXX B-LCL-HROC06 | 302065

☐☐ ☐☐☐

-78°C

 0 10 20 30 40 50 60 70 78°C

XXXXXXXX XXXX XXXX, XX XXXXX XX XXXXXXXXXXXXXXX XXXXX XXXXX XXXXX XXX XXX XXXXXXXXXXXXXXX XX X-150 XX 196 XXXXX XXXXXXX XXXXXX XXXXXXX

XXXX XXXXXX XXXXXXXXXX XXXXXXXXXXXXXXXX

Abstract