Product sheet

[redacted] Hep-CLS-1W | 400414

[redacted]

Description	[redacted] C3H/HE: [redacted] C3H/HE [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HEP-CLS-1W

[redacted]

Breed/Subspecies	C3H/HE
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Hep-CLS-1W ([redacted] Cytion 400414)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5775

[redacted]

Tumorigenic	[redacted], [redacted] C3H/HE

[redacted]

[redacted] Hep-CLS-1W | 400414

Culture Medium	Ham's F12, w: 1.0 mM [redacted], w: 1.0 mM [redacted], w: 1.1 g/L NaHCO3 ([redacted] Cytion 820600a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] -PBS [redacted] T25, [redacted] -3-5 [redacted] PBS, [redacted] 3 [redacted]
Seeding density	1 x 10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] -300 x g [redacted] 3 [redacted] 7. [redacted] -10 [redacted] T2 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]

[redacted] Hep-CLS-1W | 400414

Flask Coating	[redacted]
Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted], [redacted] -150 [redacted] 196 [redacted]. [redacted]

[redacted]

Sterility	[redacted] PCR [redacted]. [redacted], [redacted], [redacted].