Product sheet

[redacted] RH-35 | 305210

[redacted]

Description	[redacted] H4-II-E ([redacted] RH-35) [redacted] Reuber H-35 [redacted]. [redacted] AC [redacted] H4-II-E [redacted], [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H4II, H-35tc2, [redacted] Reuber-H-35 2, Reuber H-35 tc2, Reuber H35 tc2, H-35 Reuber tc2, H35 Reuber tc2, RH-3 RH35 tc2, H-35 tc2, H35 tc2

[redacted]

Breed/Subspecies	AxC
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	RH-35 ([redacted] Cytion: 305210)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4623

[redacted]

[redacted]

RH-35 | 305210

Culture Medium	Ham's F12, w: 1.0 mM , w: 1.0 mM , w: 1.1 g/L NaHCO3 (Cytion 820600a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 '- PBS, 3 .
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO C

Thawing and Culturing Cells

1.
2. -150°C
3. 37
4. 70%
5. 15 '- 8 '-
6. -300 x g 3
7. -10 '- T2
8.

Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

[redacted]RH-35 | 305210

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]