Product sheet

WI 38 VA13 [illegible]-[illegible]2RA [illegible]| 300421

[illegible] [illegible]

Description	[illegible]-[illegible] WI-38 VA13 2RA, [illegible] [illegible] [illegible] [illegible] WI-38 [illegible] [illegible] [illegible] [illegible] [illegible] 3 [illegible], [illegible] [illegible] [illegible] [illegible] SV40 [illegible] WI-38 [illegible] [illegible]-[illegible] 2RA [illegible] VA13 [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
Organism	[illegible]
Tissue	[illegible]
Synonyms	WI 38 VA-13 subline 2RA, WI 38VA13 subline 2RA, WI-38 VA13 sub 2 RA, WI38-VA13 subline 2RA, WI38 VA13/2RA, WI38VA13/2RA, VA13 2RA, WI-38 VA13, WI 38 VA 13, WI38-VA13, WI38/VA13, WI38VA13, VA-13, VA13, AG07217, AG7217

[illegible]

Age	3 [illegible] [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible] [illegible]
Cell type	[illegible]
Growth properties	[illegible]

[illegible] [illegible]

Citation	WI 38 VA13 subline 2RA ([illegible] [illegible] Cytion 300421)
Biosafety level	2
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2759

[illegible] [illegible]-[illegible]

WI 38 VA13 [illegible]-[illegible]2RA [illegible] | 300421

Isoenzymes	G6PD, B
Viruses	[illegible] Papovavirus
Virus susceptibility	[illegible] [illegible], [illegible] [illegible] ([illegible]), [illegible] [illegible] 2
Reverse transcriptase	[illegible]
Karyotype	[illegible], [illegible] [illegible]: 73-78

[illegible]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([illegible] [illegible] Cytion 820100a)
Supplements	[illegible] [illegible] 10% FBS
Dissociation Reagent	[illegible]
Subculturing	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-PBS [illegible] [illegible] [illegible]. [illegible] [illegible] T25, [illegible] [illegible]-3-5 [illegible] PBS, [illegible] [illegible] 3 [illegible]. [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
Seeding density	1 x 10^4 [illegible]/[illegible]
Fluid renewal	1 [illegible] 2 [illegible] [illegible]
Post-Thaw Recovery	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] 48 [illegible] [illegible].
Freeze medium	[illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] ([illegible] FBS) + 10% DMSO [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] C

WI 38 VA13 [illegible]-[illegible]2RA [illegible]| 300421

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]