Product sheet

FAMPAC-A | 300310

[redacted]

Description	[redacted]-[redacted] [redacted] [redacted] [redacted] [redacted] FAMPAC. [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] 43 [redacted] [redacted] [redacted] [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	PA-CLS-13A, PA-CLS 13A

[redacted]

Age	43 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted] [redacted]
Growth properties	[redacted]

[redacted] [redacted]

Citation	FAMPAC-A ([redacted] [redacted] Cytion 300310)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_5750

[redacted] [redacted]-[redacted]

Antigen expression	[redacted] FAMPAC-A [redacted] [redacted] [redacted] [redacted]-Kras [redacted] 12: GGT(Gly)>GTT(Val)

FAMPAC-A | 300310

Tumorigenic	,
Karyotype	

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L-, w: 15 mM HEPES, w: 0.5 mM , w: 1.2 g/L NaHCO3 820400a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	32
Subculturing	-PBS PBS, 3 . T25, -3-5 ' PBS, .
Fluid renewal	2 3
Post-Thaw Recovery	24 .
Freeze medium	(FBS) + 10% DMSO , C

[illegible] FAMPAC-A | 300310

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]