

B-LCL-HROC195 | 302043

General information

Description	B-LCL-HROC195 is a B cell line, derived from a patient with B-cell lymphoma, infected with Epstein-Barr virus (EBV), and immortalized by retroviral transduction. It is a continuous cell line that grows in the presence of IL-4 and IL-6. B-LCL-HROC195 is a B cell line that is derived from a patient with B-cell lymphoma. It is a continuous cell line that grows in the presence of IL-4 and IL-6. B-LCL-HROC195 is a B cell line that is derived from a patient with B-cell lymphoma. It is a continuous cell line that grows in the presence of IL-4 and IL-6. B-LCL-HROC195 is a B cell line that is derived from a patient with B-cell lymphoma. It is a continuous cell line that grows in the presence of IL-4 and IL-6.
Organism	Human
Tissue	B lymphocytes
Disease	B-cell lymphoma
Synonyms	Bc HROC195

Characteristics

Age	Not applicable
Gender	Not applicable
Ethnicity	Not applicable
Morphology	Clonal B cells
Cell type	B cell
Growth properties	Adherent

Additional information

Citation	B-LCL-HROC195 (Cytion 302043)
Biosafety level	2
NCBI_TaxID	9606

XXX B-LCL-HROC195 | 302043

☒ ☒ ☒ ☒ ☒ ☒

[illegible][illegible][illegible][illegible]

A*: '01:01:01, '68:01:02
B*: 08:01:01, 51:01:01
C*: 07:01:01, 15:02:01
DRB1*: 08:04:01, 13:01:01
DQA1*: '01:03:01, '05:05:01
DQB1*: 03:01:01, 06:03:01
DPB1*: '02:01:02, '13:01:01
E: '01:01:01, '01:03:03