Product sheet

[redacted] COS-7 | 605470

[redacted]

Description	[redacted] COS-7 [redacted] Lipofectamine, [redacted] HeLa. [redacted] COS-7 [redacted] COS-7 [redacted]
Organism	Chlorocebus aethiops
Tissue	[redacted]
Applications	[redacted] SV40 T.
Synonyms	Cos-7, COS7, Cos7, CV-1 [redacted]-Origin Simian-7

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	COS-7 ([redacted] Cytion 605470)
Biosafety level	1
NCBI_TaxID	9534
CellosaurusAccession	CVCL_0224

COS-7 | 605470

GMO Status	GMO-S1: [illegible] (COS-7), [illegible] pSV6-2 [illegible] SV40, [illegible]

[illegible]

Virus susceptibility	SV40 ([illegible]), SV40 tsA209 [illegible], [illegible] SV40 [illegible]
Products	[illegible] T

[illegible]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L [illegible], w: 2.5 mM L-[illegible], w: 15 mM HEPES, w: 0.5 mM [illegible], w: 1.2 g/L NaHCO3 820400a)
Supplements	[illegible] 10% FBS
Dissociation Reagent	[illegible]
Subculturing	[illegible] PBS [illegible] T25, [illegible] 3 [illegible]
Seeding density	1 x 10^4 [illegible]
Fluid renewal	2 [illegible] 3 [illegible]
Post-Thaw Recovery	[illegible] 24 [illegible]
Freeze medium	[illegible] (FBS) + 10% DMSO [illegible]

[redacted]COS-7 | 605470

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]