Product sheet

MCF10A | 305026

[redacted]

Description	[redacted] MCF10A, [redacted] 36 [redacted] [redacted] MCF10A [redacted] MCF10A, [redacted] MCF 10A [redacted]
Organism	[redacted]
Tissue	[redacted]
Synonyms	MCF-10A, MCF 10A, MCF.10A, MCF10A, MCF10-A, MCF10a, MCF-10 [redacted]-10A

[redacted]

Age	36 [redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	MCF10A ([redacted] Cytion 305026)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0598

[redacted]

Tumorigenic	[redacted]

[illegible]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L [illegible], w: 2.5 mM L-[illegible], w: 15 mM HEPES, w: 0.5 mM [illegible], w: 1.2 g/L NaHCO3 820400a)
Supplements	[illegible] 5% [illegible], 20 [illegible] EGF, 0.5 [illegible], 10 [illegible]. [illegible] 100 [illegible]
Dissociation Reagent	[illegible]
Subculturing	[illegible]-PBS [illegible]. [illegible] T25, [illegible]-3-5 [illegible] PBS, [illegible] 3 [illegible]. [illegible].
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] ([illegible] FBS) + 10% DMSO [illegible], [illegible] C
Thawing and Culturing Cells	1. [illegible] 2. [illegible]-150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible]. 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible]-300 x g [illegible] 3 [illegible] 7. [illegible]-10 [illegible]. [illegible] T2 8. [illegible].
Incubation Atmosphere	37°C, 5%$_{CO2}$, [illegible].
Flask Coating	[illegible]

[redacted] MCF10A | 305026

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]