Product sheet

[redacted] Jiyoye | 300366

[redacted]

Description	[redacted] Jiyoye [redacted] Burkitt [redacted] MYC. [redacted] Jiyoye [redacted] [redacted] Jiyoye [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] B
Metastatic site	[redacted] B
Applications	[redacted] B, [redacted]
Synonyms	JIYOYE, Jijoye, JIJOYE, P-2003, P3 (Jiyoye), P-3-Jijoye, P3-Jiyoye, P-3J, P3J, Jiyoye(P-2003), Jiyoye (P-2003), JiyoyeP-2003, OB2, GM04678

[redacted]

Age	7 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Cell type	[redacted] B
Growth properties	[redacted]

[redacted]

Citation	Jiyoye ([redacted] Cytion 300366)
Biosafety level	1

[redacted] Jiyoye | 300366

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1317

[redacted]

Antigen expression	CD10+, CD19+
Karyotype	46, [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Subculturing	[redacted] 5×10^5 [redacted] 5×10^6 [redacted] 5 x 10
Seeding density	3×10^5 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] (48 [redacted])
Freeze medium	[redacted] FBS) + 10% DMSO [redacted] C

Thawing and Culturing Cells

1. [illegible]
2. [illegible]
3. [illegible]
4. [illegible] 70% [illegible].
5. [illegible] 15 [illegible] 8 [illegible]
6. [illegible] 300 x g [illegible] 3 [illegible]
7. [illegible] 10 [illegible] T2
8. [illegible]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible] -78°C
Shipping Conditions	[illegible] -78°C
Storage Conditions	[illegible] -150 [illegible] 196 [illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]

Jiyoye | 300366

HLA

A*: '03:01:01, '74:01:01
B*: '53:01:01, '58:01:01
C*: 04:01:01
DRB1*: 11:02:01, 15:03:01
DQA1*: '01:02:01, '05:05:01
DQB1*: 03:19:01, 06:02:01
DPB1*: '01:01:01, '02:01:02
E: 01:01, 01:03