Product sheet

[redacted] Panc02 | 300501

[redacted] [redacted]

Description	[redacted] Panc02 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] (PDAC), [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] Panc02 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]-[redacted] [redacted] PDAC. [redacted] [redacted] [redacted] [redacted] [redacted] Panc [redacted] [redacted] [redacted] [redacted] [redacted], Panc02 [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted]. [redacted] [redacted] [redacted] [redacted] Aurora
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] [redacted] [redacted] [redacted] [redacted]
Synonyms	Panc-02, Panc 02, Pan02, PAN 02, Panc02-H0

[redacted]

Breed/Subspecies	C57BL/6
Age	[redacted] [redacted]
Gender	[redacted]
Growth properties	[redacted]

[redacted] [redacted]

Citation	Panc02 ([redacted] [redacted] Cytion 300501)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_D627

[redacted] [redacted]-[redacted]

[redacted]

Product sheet

Panc02 | 300501

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 '- PBS, 3 .
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. -150°C 3. 37 4. 70% 5. 15 '- 8 '- 6. -300 x g 3 7. -10 '- T2 8. -78°C
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	

[redacted]Panc02 | 300501

Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted]