



**T84 | 300354**

**GMO Status** "wildtype" (KRAS G13D)

**Receptors expressed**

**Antigen expression**

**Isoenzymes** G6PD, B, PGM1, 1, PGM3, 1, ES-D, 1, Me-2, 1-2, AK-1, 1, GLO-1, 1-2

**Tumorigenic**

**Products** (CEA), 600 exp6

**Mutational profile** T84 Kras 13: GGC(Wt Gly) >GAC(Asp)

**Karyotype** 56, -28% 12.4%. 18

**Culture Medium**

**Supplements** 10% FBS

**Dissociation Reagent**

**Doubling time** 48 72

**Subculturing** T25, 3-5 3

**Split ratio** 1 3

**Seeding density**  $1 \times 10^4$  1/4

**Fluid renewal**

**HEK293T84 | 300354**

**Post-Thaw Recovery** HEK293T84 cells, 5 × 10<sup>4</sup> cells/ml, 24–48 hours

**Freeze medium** HEK293T84 cells, 10% FBS + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw the vial quickly in a 37°C water bath.
  2. Add the cells to a pre-warmed medium.
  3. Centrifuge at 300 x g for 3 minutes.
  4. Resuspend the cells in 10 ml of medium.
  5. Seed the cells into a T25 flask.
  6. Incubate at 37°C with 5% CO<sub>2</sub>.
  7. Monitor cell growth and confluency.
  8. Harvest cells when they reach 70-80% confluency.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating** None

**Freezing Procedure** Cool to -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C

**HEK293T84 / HEK293T84 / HLA**

