Product sheet

SK-N-LO | 300400

[redacted]

Description	[redacted] SK-N-LO [redacted] [redacted] SK-N-LO [redacted] GLI GANT61 [redacted] GANT61 [redacted] GLI2 [redacted]-survivin, [redacted] p21 [redacted] SK-N-LO [redacted] µ, [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	SK-N-L0, SKN-LO, SKNLO

[redacted]

Age	10 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	SK-N-LO ([redacted] Cytion 300400)
Biosafety level	1
NCBI_TaxID	9606

SK-N-LO | 300400

CellosaurusAccession	CVCL_4569

-

Karyotype	: 0.00005

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS (Cytion 820100a)
Supplements	10% FBS -1% NEAA
Dissociation Reagent	
Subculturing	PBS T25, -3-5 PBS, 3 . , ,
Split ratio	1:6 1:12
Seeding density	3 4 x 10 /
Fluid renewal	2 3
Freeze medium	-50% + 40% FBS + 10% DMSO, CM-1 (Cytion 800100),

SK-N-LO | 300400

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 5. [illegible] 6. [illegible] 7. [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% CO_2, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]

SK-N-LO | 300400

STR	**Amelogenin**: x,x **CSF1PO**: 11,12 **D13S317**: 8,11 **D16S539**: 12 **D5S818**: 11,12 **D7S820**: 11 **TH01**: 10 **TPOX**: 8,11 **vWA**: 14,17 **D3S1358**: 14,17 **D21S11**: 27,28 **D18S51**: 12 **Penta E**: 7 **Penta D**: 9,13 **D8S1179**: 12:15 **FGA**: 25
HLA	**A***: '24:02:01, '29:02:01 **B***: '18:01:01, '58:01:01 **C***: 05:01:01, 07:18:01 **DRB1***: 03:01:01, 08:04:01 **DQA1***: 04:01:02, 05:01:01 **DQB1***: '02:01:01, '04:02:01 **DPB1***: '02:01:02, '13:01:01 **E**: 01:01, 01:03