Product sheet

[illegible] 3T3-L1 | 400107

[illegible]

Description	[illegible] 3T3-L1 [illegible] [illegible], [illegible] 3T3-L1 [illegible] 3T3-L1, [illegible] 3T3-L1 [illegible] 3T3-L1 [illegible], [illegible] [illegible], [illegible] 3T3-L1 [illegible], [illegible] 3T3-L1 [illegible], [illegible], [illegible]
Organism	[illegible]
Tissue	[illegible]
Metastatic site	[illegible] ([illegible]; [illegible])
Applications	[illegible] 3T3-L1 [illegible], [illegible]
Synonyms	3T3 L1, 3T3L1, 3T3-L1 ad, NIH-3T3-L1, NIH3T3-L1

[illegible]

Breed/Subspecies	[illegible]
Age	[illegible]
Gender	[illegible]
Morphology	[illegible]
Cell type	[illegible] / [illegible] ([illegible])
Growth properties	[illegible]

[illegible]

Citation	3T3-L1 ([illegible] Cytion 400107)

Product sheet

[illegible] 3T3-L1 | 400107

Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0123
GMO Status	[illegible] [illegible] [illegible]; 3T3-L1 [illegible] [illegible]-[illegible] [illegible] [illegible] NIH/3T3 [illegible] [illegible] [illegible] [illegible] [illegible]; [illegible] [illegible] [illegible]

[illegible] [illegible]- [illegible]

Tumorigenic	[illegible]
Virus susceptibility	[illegible] [illegible] [illegible], [illegible] [illegible] [illegible], [illegible] [illegible], [illegible], [illegible] [illegible], [illegible] N-[illegible] C
Products	[illegible], [illegible], [illegible]
Ploidy status	[illegible]
Karyotype	2n=40

[illegible]

Culture Medium	DMEM, w: 4.5 g/L [illegible], w: 4 mM L-[illegible], w: 3.7 g/L NaHCO3, w: 1.0 mM [illegible] [illegible] ([illegible] [illegible] Cytion 820300a)
Supplements	[illegible] [illegible] 10% FBS
Dissociation Reagent	[illegible]
Subculturing	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-PBS [illegible] [illegible] [illegible]. [illegible] [illegible] T25, [illegible] [illegible]-3-5 [illegible]" [illegible] PBS, [illegible] [illegible] 3 [illegible]. [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].
Split ratio	1 [illegible] 5
Seeding density	1 [illegible] 3 × 10^4 [illegible]/[illegible]" [illegible]
Fluid renewal	[illegible] 2-3 [illegible]

[redacted]3T3-L1 | 400107

Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

[redacted]3T3-L1 | 400107

Sterility	[redacted] PCR [redacted] [redacted], [redacted]