Product sheet

[redacted] 3T3-L1 | 400107

[redacted]

Description	[redacted] 3T3-L1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Metastatic site	[redacted] ([redacted]; [redacted])
Applications	[redacted] 3T3-L1 [redacted]
Synonyms	3T3 L1, 3T3L1, 3T3-L1 ad, NIH-3T3-L1, NIH3T3-L1

[redacted]

Breed/Subspecies	[redacted]
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted] / [redacted] ([redacted])
Growth properties	[redacted]

[redacted]

Citation	3T3-L1 ([redacted] Cytion 400107)

[redacted]3T3-L1 | 400107

Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0123
GMO Status	[redacted]; 3T3-L1 [redacted]-[redacted] [redacted] NIH/3T3 [redacted]; [redacted]

[redacted]-[redacted]

Tumorigenic	[redacted]
Virus susceptibility	[redacted], [redacted], [redacted], [redacted], [redacted], [redacted] N-[redacted] C
Products	[redacted], [redacted], [redacted]
Ploidy status	[redacted]
Karyotype	2n=40

[redacted]

Culture Medium	DMEM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 3.7 g/L NaHCO3, w: 1.0 mM [redacted] ([redacted] Cytion 820300a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] [redacted]-PBS [redacted]. [redacted] T25, [redacted]-3-5 [redacted] PBS, [redacted] 3 [redacted]. [redacted], [redacted].
Split ratio	1 [redacted] 5
Seeding density	1 [redacted] 3×10^4 [redacted]/[redacted]
Fluid renewal	[redacted] 2-3 [redacted]

3T3-L1 | 400107

Freeze medium	(FBS) + 10% DMSO C
Thawing and Culturing Cells	1. 2. -150°C 3. 37 4. 70% 5. 15 8 6. -300 x g 3 7. -10 T2 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78°C
Shipping Conditions	-78°C
Storage Conditions	-150 196

Cytion

[redacted]3T3-L1 | 400107

Sterility	[redacted] PCR [redacted]. [redacted], [redacted], [redacted].