Product sheet

[illegible] Colo-94H | 300161

[illegible]

Description	[illegible] COLO-94H [illegible], [illegible]. [illegible] [illegible] COLO-94H [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	COLO-94H, COLO 94H, COLO94H

[illegible]

Age	70 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	COLO-94H ([illegible] Cytion 300161)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_4573

[illegible]- [illegible]

Colo-94H | 300161

Tumorigenic	,
Reverse transcriptase	
Products	8, 18, 19
Mutational profile	COLO-94H 12 Kras: GGT(Wt Gly) >GAT(Asp)

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 g/L , w: 2.5 mM L-, w: 15 mM HEPES, w: 0.5 mM , w: 1.2 g/L NaHCO3 820400a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 '-PBS, 3 . .
Seeding density	1 x 10^4 "/
Fluid renewal	1 2
Post-Thaw Recovery	24 .
Freeze medium	(FBS) + 10% DMSO , C

[redacted]Colo-94H | 300161

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]

Colo-94H | 300161

HLA	**A***: 02:01:01 **B***: 15:01:01 **C***: 03:04:01 **DRB1***: 04:01:01 **DQA1***: 03:01:01 **DQB1***: 03:02:01 **DPB1***: 04:02:01 **E**: 01:03:02