Product sheet

PC-3M | 305061

[illegible]

Description	[illegible] PC-3M [illegible] [illegible] [illegible] [illegible] [illegible] PC-3 [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] PC-3M [illegible] [illegible] [illegible] in vitro [illegible]-in vivo [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], PC-3M [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible] [illegible] [illegible]
Metastatic site	[illegible]
Synonyms	PC3-M, PC-3/M, PC3M, Pc3M

[illegible]

Age	62 [illegible]
Gender	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible] [illegible]

Citation	PC-3M ([illegible] [illegible] Cytion 305061)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_9555

[illegible] [illegible]-[illegible]

PC-3M | 305061

Culture Medium	Ham's F12K Medium, w: 2.0 mM L-Glutamine, w: 2.0 mM Sodium pyruvate, w: 2.5 g/L NaHCO3 (Cytion 820608a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS T25, PBS, 3
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO C
Thawing and Culturing Cells	1. 2. -150°C 3. 37 4. 70% 5. 15 8 6. -300 x g 3 7. -10 T2 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,

[redacted]PC-3M | 305061

Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]
[redacted]STR	**Amelogenin**: x,x **CSF1PO**: 11 **D13S317**: 11 **D16S539**: 11 **D5S818**: 13 **D7S820**: 8,11 **TH01**: 6,7 **TPOX**: 8,9 **vWA**: 17 **D3S1358**: 16 **D21S11**: 29,31.2 **D18S51**: 14,15 **Penta E**: 10,17 **Penta D**: 9 **D8S1179**: 13 **FGA**: 24 **D6S1043**: 14,18 **D2S1338**: 18,2 **D12S391**: 21 **D19S433**: 14