Product sheet

[illegible] MC3T3-E1 Subclone 14 | 305185

[illegible]

Description	[illegible] MC3T3-E1 Subclone 14 [illegible], [illegible]. [illegible], [illegible] [illegible]. [illegible] [illegible] MC3T3-E1 Subclone 14 [illegible]. [illegible] [illegible] (3 [illegible] 4 mM), [illegible] MC3T3-E1 Subclone 14 [illegible] [illegible], [illegible], [illegible], [illegible] (MIF) [illegible]-RNA. [illegible] [illegible], [illegible], [illegible] [illegible], [illegible]-[illegible], [illegible]
Organism	[illegible]
Tissue	[illegible], [illegible]
Applications	[illegible]-[illegible], [illegible]
Synonyms	MC3T3-E1 [illegible]-[illegible] 14

[illegible]

Breed/Subspecies	C57BL/6
Age	[illegible]
Gender	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	MC3T3-E1 [illegible]-[illegible] 14 ([illegible] Cytion 305185)
Biosafety level	1

MC3T3-E1 Subclone 14 | 305185

NCBI_TaxID	10090
CellosaurusAccession	CVCL_5437

-

Protein expression	
Tumorigenic	

Culture Medium	MEM, w: 2.0 mM , w: , w: , w: 1.0 mM , w: 2.2g/L N
Supplements	10% FBS
Dissociation Reagent	
Subculturing	-PBS T25, -3-5 ' PBS, 3 .
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO C

MC3T3-E1 Subclone 14 | 305185

Thawing and Culturing Cells	1. [illegible] 2. [illegible] 3. [illegible] 4. [illegible] 70% [illegible]. 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] 7. [illegible] 10 [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible]

[illegible]

Sterility	[illegible] PCR [illegible] [illegible]