Product sheet

# [redacted] K7M2 wt | 305188

## [redacted]

| | |
|---|---|
| **Description** | [redacted] K7M2 wt [redacted], [redacted] [redacted] K7M2 wt [redacted]. [redacted] |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Disease** | [redacted] |
| **Metastatic site** | [redacted] |
| **Applications** | [redacted]; [redacted] BALB/c; [redacted]; [redacted] Wnt/β-catenin [redacted]-PI3K/AKT; |
| **Synonyms** | K7M2-WT, K7M2 |

## [redacted]

| | |
|---|---|
| **Breed/Subspecies** | BALB/c |
| **Age** | 895 [redacted] |
| **Gender** | [redacted] |
| **Cell type** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | K7M2 wt ([redacted] Cytion 305188) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_V455 |

## [redacted] K7M2 wt | 305188

| | |
|---|---|
| **GMO Status** | [redacted]; [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] "wildtype" [redacted] [redacted] BALB/c |

### [redacted] [redacted]-[redacted]

| | |
|---|---|
| **Receptors expressed** | [redacted] (C3), [redacted], [redacted] Fc, IgG, [redacted] [redacted] I(Fcgr1), [redacted] |
| **Tumorigenic** | [redacted] |

### [redacted]

| | |
|---|---|
| **Culture Medium** | DMEM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 3.7 g/L NaHCO3, w: 1.0 mM [redacted] [redacted] ([redacted] [redacted] Cytion 820300a) |
| **Supplements** | [redacted] [redacted] 10% FBS |
| **Dissociation Reagent** | [redacted] |
| **Subculturing** | [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]-PBS [redacted] [redacted] [redacted]. [redacted] [redacted] T25, [redacted] [redacted]-3-5 [redacted]' [redacted] PBS, [redacted] [redacted] 3 [redacted]. [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]. |
| **Fluid renewal** | 2 [redacted] 3 [redacted] [redacted] |
| **Freeze medium** | [redacted] [redacted] [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] ([redacted] FBS) + 10% DMSO [redacted] [redacted] [redacted] [redacted] [redacted] [redacted], [redacted] C |

## [redacted] K7M2 wt | 305188

| | |
|---|---|
| **Thawing and Culturing Cells** | 1. [redacted]<br>2. [redacted] -150°C [redacted]<br>3. [redacted] 37 [redacted]<br>4. [redacted] 70% [redacted].<br>5. [redacted] 15 [redacted] 8 [redacted]<br>6. [redacted] -300 x g [redacted] 3 [redacted]<br>7. [redacted] -10 [redacted] T2<br>8. [redacted]. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, [redacted]. |
| **Flask Coating** | [redacted] |
| **Freezing Procedure** | [redacted] -78°C |
| **Shipping Conditions** | [redacted] -78°C |
| **Storage Conditions** | [redacted] -150 [redacted] 196 [redacted]. [redacted] |

## [redacted]

| | |
|---|---|
| **Sterility** | [redacted] PCR [redacted].<br>[redacted], [redacted], [redacted]. |