Product sheet

CHO-TACD2 | 305415

Description	**6,250** CHO-TACD2 CHO TACD2 12,600 TAC TACD2 TROP2
Organism	
Tissue	
Disease	TACD2/TROP2 GA733-1
Applications	ADC TROP2
Age	
Gender	
Morphology	
Cell type	
Growth properties	
Citation	CHO-TACD2 Cytion 305415
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8X3

Product sheet

CHO-TACD2 | 305415

GMO Status	GMO-S1 CHO TACD2
Receptors expressed	TACD2 TROP2 GA733-1
Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES 0.5 mM 1.2 g/L $NaHCO_3$ Cy CHO A InSCREENeX InSCREENeX INS-ME-1039
Supplements	5% FBS Geneticin G418-Sulfat 0.5 mg/mL
Dissociation Reagent	-EDTA
Doubling time	14 16
Subculturing	PBS PBS /EDTA T25 1 T75 3
Split ratio	1 5
Seeding density	2 $5 \times 10^4/cm^2$
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

CHO-TACD2 | 305415

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR