

CHO-TACD2 | 305415

GMO Status	GMO-S1	CHO	TACD2
-------------------	--------	-----	-------

Receptors expressed	TACD2	TROP2	GA733-1
----------------------------	-------	-------	---------

Culture Medium	DMEM	Ham's F12	1:1	3.1 g/L	2.5 mM L-	15 mM HEPES	0.5 mM	1.2 g/L NaHCO ₃	Cy
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039				

Supplements	5% FBS	Geneticin	G418-Sulfat	0.5 mg/mL
--------------------	--------	-----------	-------------	-----------

Dissociation Reagent	-EDTA
-----------------------------	-------

Doubling time	14	16
----------------------	----	----

Subculturing		PBS	PBS	/EDTA	T25	1	T75	3
---------------------	--	-----	-----	-------	-----	---	-----	---

Split ratio	1	5
--------------------	---	---

Seeding density	2	$5 \times 10^4 / \text{cm}^2$
------------------------	---	-------------------------------

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

Freeze medium	FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	----------------	------	--------	--------

CHO-TACD2 | 305415

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.			37°C	40-60
4.				70%
5.			8	15
6.	300 x g		3	
7.		10		T25
8.				T25

Incubation Atmosphere

37°C 5% CO₂

Shipping Conditions	
	-78 °C

Storage Conditions

-150 -196 °C

-80 °C

Sterility	
	PCR