Product sheet

CHO-B7H3 | 305417

Description	**6,250** CHO-B7H3 CHO B7-H3 430,000 B7-H3 B7-H3
Organism	
Tissue	
Disease	B7H3 CD276
Applications	ADCC/CDC B7H3
Age	
Gender	
Morphology	
Cell type	
Growth properties	
Citation	CHO-B7H3 Cytion 305417
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8V5

Product sheet

CHO-B7H3 | 305417

GMO Status	GMO-S1 CHO B7-H3
Receptors expressed	B7H3 (CD276)
Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES 0.5 mM 1.2 g/L $NaHCO_3$ Cy CHO A InSCREENeX InSCREENeX INS-ME-1039
Supplements	5% FBS Geneticin G418-Sulfat 0.5 mg/mL
Dissociation Reagent	-EDTA
Doubling time	14 16
Subculturing	PBS PBS /EDTA T25 1 T75 3
Split ratio	1 5
Seeding density	2 $5 \times 10^4/cm^2$
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

CHO-B7H3 | 305417

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR