

Product sheet

HEK293-FOLR1 | 305425

Description

6,250

HEK293-FOLR1

HEK293

FOLR1

15,000

inscreenex

FOLR1

Organism

Tissue

Disease

HEK293

Applications

FOLR1

ADC

farletuzumab

ADCC/CDC

Age

Gender

Morphology

Cell type

Growth
properties

Citation

HEK293-FOLR1 Cytion 305425

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_6G24

Product sheet

HEK293-FOLR1 | 305425

GMO Status	GMO-S1	HEK293	FOLR1
Receptors expressed	FOLR1	α FR α	FBP
Culture Medium	RPMI 1640	2.0 mM	2.0 g/L NaHCO ₃ Cytion 820700a
Supplements	10% FBS	1 mM	10 mM HEPES 1% NEAA Geneticin G418-Sulfat 1 mg/mL
Dissociation Reagent	-EDTA		
Doubling time	24	36	
Subculturing		PBS	PBS /EDTA T25 1 T75 3
Split ratio	1	5	
Seeding density	2	$4 \times 10^4/\text{cm}^2$	
Fluid renewal	2	3	
Post-Thaw Recovery	1:2 1:3	T25	24
Freeze medium		FBS + 10% DMSO	CM-1 Cytion 800100

Product sheet

HEK293-FOLR1 | 305425

Thawing and
Culturing Cells

- | | | | | | |
|----|---------|--------|------|-------|-----|
| 1. | | | | | |
| 2. | | -150°C | | | 3 |
| 3. | | | 37°C | 40-60 | |
| 4. | | | | 70% | |
| 5. | | | 8 | 15 | |
| 6. | 300 x g | 3 | | | |
| 7. | 10 | | | T25 | T25 |
| 8. | | | | | |

Incubation
Atmosphere

37°C 5% CO₂

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 °C -80 °C

Sterility

PCR