# Product sheet

## AKATA | 305510

| | |
|---|---|
| **Description** | AKATA - EBV EBV B<br>AKATA EBV AKATA EBV<br>AKATA EBV EBV AKATA EB |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | Akata Akata-BL Akata BL Akata-EC Akata-Early Culture |
| **Age** | 4 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Cell type** | B |
| **Growth properties** | |
| **Citation** | AKATA Cytion 305510 |
| **Biosafety level** | 2 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_0148 |

**Product sheet**

**AKATA | 305510**

| | |
|---|---|
| **Viruses** | EBV |

| | |
|---|---|
| **Culture Medium** | RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a |
| **Supplements** | 10% FBS |
| **Subculturing** | 15 PBS T25 3-5 T75 5-10 Accutase T25 1–2 T75 |
| **Freeze medium** | FBS + 10% DMSO CM-1 Cytion 800100 |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C 5% $CO_2$ |
| **Shipping Conditions** | −78 °C |

| | | | |
|---|---|---|---|
| **Storage Conditions** | −150 −196 °C | | −80 °C |
| **Sterility** | PCR | | |