Product sheet

H4-II-E-C3 | 305336

Description	H4-II-E-C3 H4-II-E-C3 GLT-1A H4-II-E-C3 2 ALDH2
Organism	
Tissue	
Disease	
Synonyms	H4IIEC3 H4-IIE-C3 H4-II-EC3 H-II-E-C3

Breed/Subspecies	AxC
Age	
Gender	
Growth properties	

Citation	H4-II-E-C3 Cytion 305336
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_0285
GMO Status	GMO-S1 H4-II-E-C3 GMO

H4-II-E-C3 | 305336

Protein expression	
Tumorigenic	AxC
Culture Medium	DMEM 4.5 g/L 4 mM L- 3.7 g/L $NaHCO_3$ 1.0 mM Cytion 820300a
Supplements	20% (FBS)
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Fluid renewal	2 3
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.

H4-II-E-C3 | 305336

Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR