

NCI-H1048 | 305595

Description	NCI-H1048	SCLC	NCI-H1048
	NCI-H1048	TP53 RB1	
	NCI-H1048		

Organism

Tissue

Disease

Metastatic site

Synonyms H1048 H-1048 NCIH1048

Age 53

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1048 Cytion 305595

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1453

NCI-H1048 | 305595

MSI-status	MSI
-------------------	-----

Culture Medium	DMEM	Ham's F12	1:1	3.1 g/L	2.5 mM L-	15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO ₃	Cytion
-----------------------	------	-----------	-----	---------	-----------	-------------	-----------	-------------------------------	--------

Supplements	5%	FBS	0.005 mg/mL	0.01 mg/mL	30 nM	10 nM	10 nM β-
--------------------	----	-----	-------------	------------	-------	-------	----------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	TrypLE Express	T25	1-2
---------------------	-----	-----	-----	-----	-----	------	----------------	-----	-----

Freeze medium	FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	----------------	------	--------	--------

NCI-H1048 | 305595

Thawing and Culturing Cells

- 1.
 2. -150°C 3
 3. 37°C 40-60
 4. 70%
 5. 8 15
- 5% **DMEM** 820400a
 - 0.005 mg/ml
 - 0.01 mg/ml
 - 30 nM
 - 10 nM
 - 10 nM β-
 - 2 mM L- 4.5 mM
 - 5%
 - 300 × g 3
 - 10 ml T25 T25
 -

Incubation Atmosphere

37°C 5% CO₂

Shipping Conditions

-78 °C

Storage Conditions

-150 -196 °C

-80 °C

NCI-H1048 | 305595

Sterility

PCR